

**AN ORDINANCE AMENDING THE CITY CODE OF NEW FRANKLIN
BY CHANGING THE DEFINITION OF "LEAD FREE" PIPES TO
COMPLY WITH REGULATIONS.**

WHEREAS, the City of New Franklin has a lead free in ordinance listing the definition of lead-free pipes and fittings as being less than eight percent;

WHEREAS, the Missouri Department of Natural Resources has requested that the ordinance be amended to define lead-free pipes and fitting as being less than one quarter of a percent.

BE IT ORDAINED by the Board of Aldermen of the City of New Franklin, Missouri as follows:

SECTION ONE. Section 700.170(B) shall read:

B. Definitions. The following definitions shall apply in the interpretation and enforcement of this Section:

LEAD BASED MATERIALS: Any material containing lead in excess of the quantities specified in the definition of "Lead Free" below.

LEAD FREE:

1. When used with respect to solder and flux, refers to solders and flux containing not more than two-tenths percent (0.2%) lead; and
2. When used with respect to pipes and pipe fittings, refers to pipes and pipe fittings containing not more than one-quarter of a percent (0.25%) lead.

SECTION TWO. Repeal of Conflicting Ordinances.

The provisions of any ordinance or code section in conflict with any provision of this ordinance are hereby repealed to the extent of such conflict.

SECTION THREE. Effective Date.


This ordinance shall be in full force and effect from and after the date of its passage and approval.

SECTION FOUR. Severability.


The provisions of this ordinance are severable and if any provision hereof is declared invalid, unconstitutional, or unenforceable, such determination shall not affect the validity of the remainder of this ordinance.

Read Twice and approved by Roll Call Vote

Dated this 13th day of November, 2023.



Daniel Yount, Mayor


Attest: Melissa Crowley, City Clerk